L	Hits	Search Text	DB	Time stamp
Number				
1	5542	709/203	USPAT;	2003/07/11
			US-PGPUB;	06:49
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
8	0	epstein.inv. and aray	USPAT;	2003/07/11
		-	US-PGPUB;	06:56
			EPO; JPO;	
		·	DERWENT;	
+			IBM_TDB	
15	1	epstein.inv. and arny	USPAT;	2003/07/11
	_	,	US-PGPUB;	06:56
			EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
22	417	allen.inv. and larry	USPAT;	2003/07/11
	417	anen.inv. and larry	US-PGPUB;	06:57
			1	00:57
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	000000
29	0	allen.inv. and larry with W.	USPAT;	2003/07/11
			US-PGPUB;	06:57
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
36	382	chiu.inv. and john	USPAT;	2003/07/11
			US-PGPUB;	06:58
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
43	0	0 (chiu.inv. and john) and (HEAD and GET)	USPAT;	2003/07/11
	with request	US-PGPUB;	07:02	
,			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
50	0	(chiu.inv. and john) and (HEAD adj request)	USPAT;	2003/07/11
			US-PGPUB;	07:02
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
57	9	(chiu.inv. and john) and http	USPAT;	2003/07/11
		(Constitution and John) and the	US-PGPUB;	06:59
1			EPO; JPO;	00.00
			DERWENT;	
			IBM_TDB	
64	10	 ("5701451" "5761662" "5848424"	USPAT	2003/07/11
	10		USPAI	
		"5907547" "5928324" "5943496" "5954636" "5964836" "6003004"		07:00
		"5951636" "5964836" "6003094"	0.34	
		"6049664").PN.		l

Search vydated 7/11/03

65	0	(("5701451" "5761662" "5848424"	USPAT;	2003/07/11
		"5907547" "5928324" "5943496"	US-PGPUB;	07:02
	1	"5951636" "5964836" "6003094"	EPO; JPO;	
		"6049664").PN.) and (HEAD and GET) with	DERWENT;	
		request	IBM_TDB	
72	0	(("5701451" "5761662" "5848424"	USPAT;	2003/07/11
		"5907547" "5928324" "5943496"	US-PGPUB;	07:02
		"5951636" "5964836" "6003094"	EPO; JPO;	
		"6049664").PN.) and (HEAD adj request)	DERWENT;	
			IBM_TDB	
79	0	(("5701451" "5761662" "5848424"	USPAT;	2003/07/11
		"5907547" "5928324" "5943496"	US-PGPUB;	07:03
		"5951636" "5964836" "6003094"	EPO; JPO;	
		"6049664").PN.) and (HEAD and GET)	DERWENT;	
		, , ,	IBM_TDB	
86	1	("6223188").PN.	USPAT;	2003/07/11
	-	(US-PGPUB;	07:36
			EPO; JPO	
111	130	ball.inv. and thomas	USPAT;	2003/07/11
			US-PGPUB;	07:38
			EPO; JPO	
116	o	ball.inv. and thomas with J.	USPAT;	2003/07/11
110		ballilly, and thomas with or	US-PGPUB;	07:38
			EPO; JPO;	07.00
			DERWENT;	
	•		IBM_TDB	
123	31	ball.inv. and thomas with J	USPAT;	2003/07/11
123]	ballilly, and thomas with s	US-PGPUB;	07:38
			EPO; JPO;	0.100
			DERWENT;	
			IBM TDB	
_	2405	709/203	USPAT;	2003/07/11
		155/255	US-PGPUB;	06:49
			EPO; JPO	
	1403	709/201	USPAT;	2002/01/10
		700/201	US-PGPUB;	13:56
			EPO; JPO	10.00
_	25	http and page\$ and (content adj length) and	USPAT;	2002/01/10
-	23	(content adj type)	US-PGPUB;	14:12
		(content auj type)	EPO; JPO	1-7.12
	165	345/744	USPAT;	2002/01/12
•	165	343/144	US-PGPUB;	15:12
			1	13:12
	4046	http adi2 carror\$	EPO; JPO	2002/04/40
•	1016	http adj2 server\$	USPAT;	2002/01/10
			US-PGPUB;	14:12
	400	Later a dia hunusa are	EPO; JPO	3003/04/40
-	169	http adj2 browser\$	USPAT;	2002/01/10
			US-PGPUB;	14:13
	_		EPO; JPO	0000/04/40
•	1	345/744 and (http adj2 server\$) and (http	USPAT;	2002/01/10
		adj2 browser\$)	US-PGPUB;	14:12
			EPO; JPO	

		_	_	
•	1016	http adj2 server\$	USPAT;	2002/01/10
			US-PGPUB;	14:13
			EPO; JPO	
•	169	http adj2 browser\$	USPAT;	2002/01/10
			US-PGPUB;	14:13
			EPO; JPO	
•	25	http and page\$ and (content adj length) and	USPAT;	2002/01/10
		(content adj type)	US-PGPUB;	14:14
			EPO; JPO	
•	4	(http and page\$ and (content adj length)	USPAT;	2003/02/04
		and (content adj type)) and (http adj2	US-PGPUB;	07:16
		browser\$)	EPO; JPO	
-	2	(http adj2 server\$) and ((http and page\$ and	USPAT;	2002/01/10
		(content adj length) and (content adj type))	US-PGPUB;	14:15
		and (http adj2 browser\$))	EPO; JPO	
-	10	browser adj properties	USPAT;	2002/01/11
			US-PGPUB;	07:40
			EPO; JPO	
-	30	customiz\$ adj web adj page?	USPAT;	2002/01/12
			US-PGPUB;	15:15
			EPO; JPO	
•	1	adjust\$ adj web adj page?	USPAT;	2002/01/11
			US-PGPUB;	07:24
			EPO; JPO	
-	86	set\$ adj web adj page?	USPAT;	2002/01/11
			US-PGPUB;	07:37
			EPO; JPO	
-	1061	display adj properties	USPAT;	2002/01/12
			US-PGPUB;	15:00
			EPO; JPO	
-	996	view adj properties	USPAT;	2002/01/11
			US-PGPUB;	10:27
			EPO; JPO	
	2405	709/203	USPAT;	2002/01/11
			US-PGPUB;	07:41
			EPO; JPO	
	165	345/744	USPAT;	2002/01/11
			US-PGPUB;	07:41
			EPO; JPO	
	1	(view adj properties) and 709/203	USPAT;	2002/01/11
			US-PGPUB;	07:42
			EPO; JPO	
	9	(display adj properties) and 709/203	USPAT;	2002/01/11
	1 19		US-PGPUB;	07:43
			EPO; JPO	
-	10	(display adj properties) and 345/744	USPAT;	2002/01/11
			US-PGPUB;	10:27
			EPO; JPO	
	2	(type? and size?) and ((display adj	USPAT;	2002/01/11
		properties) and 345/744)	US-PGPUB;	07:54
		,	EPO; JPO	

•	148	(type? and size?) and (display adj	USPAT;	2002/01/11
ı	1	properties)	US-PGPUB;	07:55
			EPO; JPO	
-	94	(type? and size?) and (view adj properties)	USPAT;	2002/01/11
			US-PGPUB;	13:20
			EPO; JPO	
-	255	(type? and size?) and 709/203	USPAT;	2002/01/11
			US-PGPUB;	10:19
]		EPO; JPO	
-	27	(type? and size?) and 345/744	USPAT;	2002/01/11
			US-PGPUB;	07:57
			EPO; JPO	
-	2	(customiz\$ adj display) and ((type? and	USPAT;	2002/01/11
		size?) and 709/203)	US-PGPUB;	10:29
			EPO; JPO	
•	363	web adj properties	USPAT;	2002/01/12
		-	US-PGPUB;	15:33
	1		EPO; JPO	
-	263	((type? and size?) and 709/203) and200	USPAT;	2002/01/11
			US-PGPUB;	10:28
			EPO; JPO	
-	141	content and ((type? and size?) and 709/203)	USPAT;	2002/01/11
			US-PGPUB;	10:30
			EPO; JPO	
-	15	content and ((type? and size?) and 345/744)	USPAT;	2002/01/11
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	10:30
			EPO; JPO	
_	83	((type? and size?) and 709/203) and (web	USPAT;	2002/01/11
		near2 page) and (screen or display or view	US-PGPUB;	13:29
		or window\$)	EPO; JPO	
-	27	((type? and size?) and 709/203) and (web	USPAT;	2002/01/11
		near2 page) and (screen or display or view	US-PGPUB;	13:45
		or window\$) and adjust\$	EPO; JPO	
-	685	web adj configur\$	USPAT;	2002/01/12
			US PGPUB;	15:02
			EPO; JPO	
-	345	(web adj configur\$) and type and size	USPAT;	2002/01/12
		•	US-PGPUB;	15:10
		· · · · · · · · · · · · · · · · · · ·	EPO; JPO	
	397	(web adj configur\$) and type and length	USPAT;	2002/01/12
			US-PGPUB;	15:11
			EPO; JPO	
	2405	709/203	USPAT;	2002/01/12
			US-PGPUB;	15:11
			EPO; JPO	
	1	((web adj configur\$) and type and size) and	USPAT;	2002/01/12
		709/203	US-PGPUB;	15:34
			EPO; JPO	
_	165	345/744	USPAT;	2002/01/12
			US-PGPUB;	15:12
	1		1 00-1 01 0H-	

-	130	(web adj view) or (web adj display)	USPAT;	2002/01/12
			US-PGPUB;	15:53
			EPO; JPO	
-	8	((web adj view) or (web adj display)) and	USPAT;	2002/01/12
		709/203	US-PGPUB;	15:17
			EPO; JPO	
-	0	web adj display adj propert\$	USPAT;	2002/01/12
			US-PGPUB;	15:33
			EPO; JPO	
-	86	screen adj properties	USPAT;	2002/01/12
			US-PGPUB;	15:33
			EPO; JPO	
-	0	web adj view adj adjust\$	USPAT;	2002/01/12
		• • •	US-PGPUB;	15:55
			EPO; JPO	
	0	web adj screen adj2 adjust\$	USPAT;	2002/01/12
			US-PGPUB;	15:55
			EPO; JPO	
_	363	web adj properties	USPAT;	2002/01/12
		men and proportion	US-PGPUB;	15:56
			EPO; JPO	10100
_	9	(("5764908") or ("5844554") or ("6026433")	USPAT	2002/07/14
		or ("6167441") or ("6185625") or		16:50
		("6216141") or ("6226642") or ("6292185")		10100
		or ("6300947")).PN.		
_	5	(("5675507") or ("5699458") or ("5696898")	USPAT	2002/07/14
		or ("5572643") or ("5623589")).PN.	John.	17:07
-	68	(HEAD adj request) and (GET request)	USPAT;	2003/02/04
		(US-PGPUB;	06:38
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	4	((HEAD adj request) and (GET request)) and	USPAT;	2003/02/04
1		header and attribute and browser and	US-PGPUB:	06:54
		server and client	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	1	("6185625").PN.	USPAT;	2002/07/19
		, <i>,</i>	US-PGPUB;	10:53
			EPO; JPO	
•	118	(HEAD adj request) with (GET request)	USPAT;	2003/07/10
		(au) ioquost) mitti (OLI ioquost)	US-PGPUB;	09:00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	22	(HEAD adj request) with (GET adj request)	USPAT;	2003/02/04
		(US-PGPUB;	2003/02/04 06:39
			1	70133
			EPO; JPO;	
]		DERWENT;	
	<u> </u>		IBM_TDB	

e) and type and size US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO USPAT; US-PGPUB; EPO; JPO USPAT; US-PGPUB; EPO; JPO USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB						
and (content adj length) j type)) and (http adj2 c and (content adj length) j type)) and (http adj2 c and (content adj length) j type)) and (http adj2 (data adj file) and type and c and (content adj length) j type)) and (http adj2 type and size est) with (GET request) est) with (GET adj request)) e) and type and size EPO; JPO; USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	•	6	((HEAD adj request) with (GET adj request))	•		
and (content adj length) i type)) and (http adj2 and (content adj length) i type)) and (http adj2 and (content adj length) i type)) and (http adj2 (data adj file) and type and and (content adj length) i type)) and (http adj2 (data adj file) and type and and (content adj length) i type)) and (http adj2 type and size best) with (GET request) est) with (GET adj request)) e) and type and size DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			and (data adj file) and type and size	1	09:00	
and (content adj length) i type)) and (http adj2 i and (content adj length) i type)) and (http adj2 idata adj file) and type and is and (content adj length) i type)) and (http adj2 (data adj file) and type and is and (content adj length) i type)) and (http adj2 type and size est) with (GET request) est) with (GET adj request)) e) and type and size IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB				· · ·		
and (content adj length) i type)) and (http adj2 i and (content adj length) i type)) and (http adj2 idata adj file) and type and idata adj file) us-PGPUB; idata adj file) us-PGPUB				1		
i type)) and (http adj2 is and (content adj length) i type)) and (http adj2 (data adj file) and type and is and (content adj length) is and (content adj length) is and (content adj length) i type)) and (http adj2 type and size best) with (GET request) est) with (GET adj request)) e) and type and size US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			(144 1 4 14 14 14 14 14 14 14 14 14 14 14		0000/00/04	
EPO; JPO USPAT; US-PGPUB; Each (content adj length) ij type)) and (http adj2 (data adj file) and type and EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	•	6	(http and page\$ and (content adj length)	1		
is and (content adj length) is type)) and (http adj2 (data adj file) and type and is and (content adj length) is and (content adj length) is and (content adj length) is type)) and (http adj2 type and size best) with (GET request) est) with (GET adj request)) e) and type and size cest) with (GET request) est) with (GET request)) e) and type and size cest) with (GET request)) is type) and size			and (content adj type)) and (http adj2	1 · · · · · · · · · · · · · · · · · · ·	07:18	
i type)) and (http adj2 (data adj file) and type and idea adj file) and idea adj file idea adj			browser\$)	· ·	2002/02/04	
(data adj file) and type and EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	-	0	((http and page\$ and (content adj length)	•		
DERWENT; IBM_TDB USPAT; US-PGPUB; Every and size DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB				· ·	07:16	
is and (content adj length) is type)) and (http adj2 type and size EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; Est) with (GET request) ESt) with (GET adj request)) Est) with (GET request) Epo; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			size	, ,		
is and (content adj length) is type)) and (http adj2 type and size EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			5126	1		
type)) and (http adj2 type and size US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB		4	((http and page\$ and (content adj length)	_	2003/02/04	
type and size EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			and (content adj type)) and (http adj2	•		`
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPA			browser\$)) and type and size	•	*****	
est) with (GET request) est) with (GET adj request)) est) with (GET adj request)) e) and type and size est) with (GET request)) e) and size IBM_TDB USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US						
est) with (GET request) est) with (GET adj request)) est) with (GET adj request)) e) and type and size est) with (GET request)) j type) and size USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB				,		
us-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; est) with (GET adj request)) e) and type and size us-PGPUB; US-PGPUB; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	•	136	(HEAD adj request) with (GET request)	_	2003/07/10	
est) with (GET adj request)) e) and type and size est) with (GET request)) est) with (GET request)) j type) and size EPO; JPO; DERWENT; IBM_TDB USPAT; USPO; DERWENT; IBM_TDB			(and reduced man few reduced)			
est) with (GET adj request)) e) and type and size est) with (GET request)) est) with (GET request)) j type) and size DERWENT; IBM_TDB USPAT;						
est) with (GET adj request)) e) and type and size US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EVO; JPO; DESPAT; US-PGPUB; EVO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB				1 .		
est) with (GET adj request)) e) and type and size USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EVO; JPO; DERWENT; ISPO; JPO; DERWENT; IBM_TDB				1		
e) and type and size US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EVO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB		6	((HEAD adj request) with (GET adj request))	_	2003/07/10	
est) with (GET request)) j type) and size USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			and (data adj file) and type and size	US-PGPUB;	09:01	
est) with (GET request)) j type) and size US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;		
est) with (GET request)) j type) and size US-PGPUB; EPO; JPO; DERWENT; IBM_TDB				DERWENT;		
j type) and size US-PGPUB; 09:01 EPO; JPO; DERWENT; IBM_TDB				IBM_TDB		
EPO; JPO; DERWENT; IBM_TDB	•	8	((HEAD adj request) with (GET request))	USPAT;	2003/07/10	
DERWENT; IBM_TDB			and (content adj type) and size	US-PGPUB;	09:01	
IBM_TDB				EPO; JPO;		
				DERWENT;		
4) 141 /622 4)) 11024 10066/62/7				IBM_TDB		
est) with (GET request)) USPAT; 2003/07/10	-	44	((HEAD adj request) with (GET request))	USPAT;	2003/07/10	
h (type or size) US-PGPUB; 13:45			and content with (type or size)	1	13:45	
				EPO; JPO;		
				DERWENT;		
DERWENT;				1		
DERWENT; IBM_TDB	•	37	, ,,,	1 7		
DERWENT; IBM_TDB uest) with (GET request)) USPAT; 2003/07/10			, 50	,	09:03	
DERWENT; IBM_TDB uest) with (GET request)) USPAT; 2003/07/10 US-PGPUB; 09:03			(parameter or specification)	1 ' '		
DERWENT; IBM_TDB USPAT; 2003/07/10 USPAT; US-PGPUB; 09:03 pecification) DERWENT; IBM_TDB USPAT; 2003/07/10 DERWENT; IBM_TDB						
DERWENT; IBM_TDB USPAT; 2003/07/10 USPAT; 09:03 pecification) DERWENT; DERWENT;		25	(///UEAD adi nagrasat) saidi (OFT sassat)	_	2002/07/40	
DERWENT; IBM_TDB USPAT; USPAT; US-PGPUB; Pecification) DERWENT; IBM_TDB	-	J 35		1		
DERWENT; IBM_TDB USPAT; US-PGPUB; Pecification) DERWENT; US-PGPUB; DERWENT; DERWENT			1	1	10:10	i
DERWENT; IBM_TDB USPAT; USPAT; USPGPUB; DERWENT; USPGPUB; DERWENT; IBM_TDB USPAT;				1 ' '		
DERWENT; IBM_TDB USPAT; USPAT; USPOUB; DERWENT; IBM_TDB USPOUB; DERWENT; IBM_TDB USPAT; USPOUB; DERWENT; IBM_TDB USPAT; USPOUB; DERWENT; USPAT; USPAT; USPAT; USPOUB; DERWENT; DER	•		iiith of webpage of web page;	1		
DERWENT; IBM_TDB USPAT; US-PGPUB; Pecification) DERWENT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; US-PGPUB; DERWENT; US-PGPUB; DERWENT; US-PGPUB; DERWENT; US-PGPUB; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT;	_	34	((((HFAD adi request) with (GET request))	_	2003/07/40	
DERWENT; IBM_TDB USPAT; US-PGPUB; Pecification) DERWENT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB	-	34		1		
DERWENT; IBM_TDB USPAT; USPAT; USPO; DERWENT; IBM_TDB USPO; DERWENT; IBM_TDB USPAT; USPO; DERWENT; IBM_TDB USPAT; USPO; DERWENT; IBM_TDB USPAT; USPO; DERWENT; IBM_TDB USPAT; USPO; DERWENT; IBM_TDB USPAT; USPAT; USPAT; USPAT;			1 2 2		10.00	
DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB US-PGPUB; DERWENT; IBM_TDB US-PGPUB; DERWENT; IBM_TDB US-PGPUB; DERWENT; IBM_TDB US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB;						
DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB US-PGPUB; DERWENT; DERW				•		
	-	44 37	((HEAD adj request) with (GET request)) and content with (type or size) (((HEAD adj request) with (GET request)) and content with (type or size)) and (parameter or specification) ((((HEAD adj request) with (GET request))	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/07/1 13:45 2003/07/1 09:03	0
				1		
11 (cype of size)			and content with (type of size)	1	15.75	
1				EPO; JPO;		
EPO; JPO:	!			1		
				1		
DERWENT;				1		
DERWENT;	-	37	(((HEAD adj request) with (GET request))	USPAT;	2003/07/10	
DERWENT; IBM_TDB			, ,,,	1 7	09:03	
DERWENT; IBM_TDB USPAT; 2003/07/10			, 50	,		
DERWENT; IBM_TDB uest) with (GET request)) USPAT; 2003/07/10 US-PGPUB; 09:03			(parameter or specification)	1 ' '	1	
DERWENT; IBM_TDB USPAT; USPAT; US-PGPUB; pecification) DERWENT; USPAT; US-PGPUB; DERWENT; DE						
DERWENT; IBM_TDB USPAT; USPAT; US-PGPUB; Decification) DERWENT; DERWENT; DERWENT; DERWENT;		35	(IIIUEAD edi verusea) with (CFT was 4))	_	2002/07/40	
DERWENT; IBM_TDB USPAT; USPAT; US-PGPUB; Decification) DERWENT; US-PGPUB; DERWENT; DERWENT; US-PGPUB; DERWENT; DERWENT; US-PGPUB; DERWENT; DERWENT;			and content with (type or size)) and	1		
DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; DERWENT; US-PGPUB; DERWENT; DERW			(parameter or specification)) and (html or	1		
DERWENT; IBM_TDB USPAT; US-PGPUB; Pecification) DERWENT; US-PGPUB; DERWENT; DERWENT			http or webpage or web page)	1 ' '	[
DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB US-PGPUB; DERWENT; IBM_TDB USPAT; U				IBM_TDB		
DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; USPAT; USPAT	-	34	(((((HEAD adj request) with (GET request))	USPAT;	2003/07/10	
DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; DERW			and content with (type or size)) and		10:03	
DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB US-PGPUB; US-PGPUB; DERWENT; IBM_TDB US-PGPUB; DERWENT; I			(parameter or specification)) and (html or			
DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB US-PGPUB; DERWENT; DERW			http or webpage or web page)) and user	DERWENT;		
DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB US-PGPUB; DERWENT; DERW	İ			IBM_TDB		

•	22	(((((HEAD adj request) with (GET request))	USPAT;	2003/07/11
		and content with (type or size)) and	US-PGPUB;	07:11
		(parameter or specification)) and (html or	EPO; JPO;	
		http or webpage or web page)) and user and	DERWENT;	
		specify\$5	IBM_TDB	
-	10	((((((HEAD adj request) with (GET request))	USPAT;	2003/07/10
		and content with (type or size)) and	US-PGPUB;	13:02
		(parameter or specification)) and (html or	EPO; JPO;	
		http or webpage or web page)) and user and	DERWENT;	
		specify\$5) and properties	IBM_TDB	
-	10	URL adj snapshot	USPAT;	2003/07/10
			US-PGPUB;	13:02
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7	((HEAD adj request) with (GET request))	USPAT;	2003/07/10
		and content with (type and size)	US-PGPUB;	13:46
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	12	("5467288" "5572643" "5623589"	USPAT	2003/07/10
		"5701451" "5706507" "5737619"		13:47
		"5748186" "5778181" "5790793"		
		"5805815" "5923846" "5978847").PN.		